

FIG. 1 (CR-ECS configuration)




FIG. 2 (Bedside device configuration)






FIG. 3
Sense electronics configuration






205

FIG. 5 (Hardware interface processor)




FIG. 6 (Signal processor)


209

FIG. 7 (User interface processor)




FIG. 8 (Seizure detection algorithm)




FIG. 9




FIG. 10 (Epilepsy external device diagram)




FIG. 11 (Epilepsy implantable device diagram)





FIG. 12

FIG. 13







FIG. 14






FIG. 16





FIG. 17






FIG. 19




FIG. 20




FIG. 21




FIG. 22 (Clustering)





FIG. 23







FIG. 26






FIG. 27

FIG. 28

Example 1: $z_{\min} = 0$, $z_{\max} = 8$, Empirical Data: {}

Graph of $P(x; 0, 8, {})$:




FIG. 29


Graph of $P(x; 0, 8, \{1, 1, 3, 3, 3, 5, 6, 6, 8\})$:Example 2: $z_{\min} = 0, z_{\max} = 8$, Empirical Data: $\{1, 1, 3, 3, 3, 5, 6, 6, 8\}$ 

FIG. 30

Example 3: $z_{\min} = 0$, $z_{\max} = 65536$, Empirical Data: {}





FIG. 31

Graph of $P(x; 0, 65536, \{\text{round}([35.2, 41.3, 18.9, 55.1] * (250/12))\}) = P(x; 0, 65536, \{394, 733, 860, 1148\})$



Example 4: $z_{\min} = 0, z_{\max} = 65536$, Empirical Data: {923, 1058}

FIG. 32



Example 5: $z_{\min} = 0$, $z_{\max} = 6550$, Empirical Data: {}Graph of $P(x; 0, 6550, {})$ 

FIG. 33

Graph of $P(x; 0, 6550, \{34.7, 103.1, 115.6, 189.9\})$ Example 6: $z_{\min} = 0, z_{\max} = 6550$, Empirical Data: $\{34.7, 103.1, 115.6, 189.9\}$